Quality of Water of Polluted River stretches in Punjab for the month of April, 2021

Kali Bein (Sultanpur Lodhi to Confluence to Beas): Priority IV

S.N.	Point of Sample Collection	Code	Date of receipt in lab	Lab Sample No.	Sample Collected & Analyzed by	pН	DO mg/l	BOD mg/l	Cond µs/Cm	T.Coli MPN/ 100ml	FColi MPN/ 100ml	Free Amm. mg/l	SAR	B mg/l	Water quality as per DBU	Water Quality Index
1	Kali Bein into Beas	2913	16/04/21	155	ZO Lab, Jal	7.0	2.8	5.8	342	4600	1400	0.001	1.45	0.64	Е	U

S.	Point of Sample Collection	Code	Date of receipt in lab	Lab Sample No.	Sample Collected & Analyzed by	CO D mg/l	Turb NTU	TSS mg/l	TDS mg/l	FD S mg/ l	Cl mg/ l	SO ₄ Mg/ l	TH mg/l	Ca mg/ l	Mg mg/ l	T.Alk n mg/l	p.Alkn mg/l	Amn- N mg/l	NO3-N mg/l	TKN mg/l	PO ₄ as P mg/l	F mg/l	Na mg/l	K mg/l
1	Kali Bein into Beas	2913	16/04/21	155	ZO Lab, Jal	28	29	13	213	168	37	26	94	27	6	100	BDL	1.0	2.3	1.9	0.17	0.20	32	12

Analysis results of Surface water monitoring under NWMP for the month of April, 2021 (Metal/Pesticides)

S.N.	Point of Sample Collection	Code	Date of receipt in lab	Lab Code	Fe mg/l	Zn mg/l	T.Cr mg/l	Ni mg/l	Cu mg/l	Pb mg/l	Cd mg/l	As mg/l	Hg mg/l
4	Kali Bein into Beas	2913	16/04/21	SW 155	BDL	0.04	BDL	BDL	BDL	BDL	BDL	BDL	BDL

Note. 1. BDL means Below Method Detection Limit

^{2.} Pesticides i.e. Alpha HCH, Beta HCH, Gama HCH, Anilophos, Chloropyrifos, 4,4' DDT, OP-DDT, Endosulphan-1, Endosulphan-2, Dieldrin, Aldrin, Methyl Parathion & Malathion were BDL.