



ਪੰਜਾਬ ਪ੍ਰਦੂਸ਼ਣ ਕੰਟਰੋਲ ਬੋਰਡ
PUNJAB POLLUTION CONTROL BOARD

Dated.

No.

To

The Environmental Engineer,
Punjab Pollution Control Board,
Regional Office, Sangrur, Faridkot, Mohali, Roopnagar,
Fatehgarh Sahib, Batala, Bathinda, Amritsar, Hoshiarpur,
Jalandhar-I/II, Ludhiana-I/II/III/IV, Patiala and
HQ- 1/2/PBIP/EPA/HWM/Const/ Mega, Head Office, Patiala.

Subject: Categorization of Industries engaged in the process of manufacturing of fortified rice.

The representation received from the Regional Office, Sangrur for categorization of industries engaged in manufacturing of fortified rice has been considered by the Competent Authority. After considering the recommendations received from the committee constituted by the Board for this purpose, it has been decided to categorize the above industry as follows:

Sr. No.	Type Code	Type of industry	Category, applicable	Siting criteria, applicable
74	3074	a) Standalone units engaged in manufacturing of fortified rice (without any trade effluent except RO Reject)	Green	General Siting criteria applicable for green category industries
		b) Fortified Rice Units to be established in the existing premises of rice mills/parboiled units	Applicable as per categorization already notified by PPCB shall remain applicable : ➤ 1071- Parboiled Rice Mills having waste water generation 100 KLD and above (or) fuel consumption 12 MTD and above ➤ 2079- Parboiled Rice Mills	Siting criteria /expansion clause as prescribed vide Govt. notification dated 15.10.2013

ਵਾਤਾਵਰਣ ਭਵਨ, ਨਾਭਾ ਰੋਡ, ਪਟਿਆਲਾ - 147001


Vatavaran Bhawan, Nabha Road, Patiala - 147001

Phone : Chairman. : 0175-2215793, Member Secretary : 0175-2215802 (O), 2215636 (FAX)
Website : www.ppcb.gov.in | E-Mail : chairmanppcb@yahoo.in | mspccb@gmail.com |



			having waste water generation < 100 KLD and fuel consumption less than 12 MTD > 2094- Rice Mills (With or without dryer) > 10 MTD	
<p>Note: Besides above, the industries shall comply with following conditions:-</p> <ol style="list-style-type: none"> 1. The wastewater from RO reject shall meet the general standards of 2100 mg/l and the industry shall provide adequate arrangements for the disposal of treated water or shall use for inhouse purpose including flushing etc. 2. The pulverizer installed by the units for grinding purpose shall have inbuilt dust control system or shall be equipped with appropriate pollution control system, so as to control the dust emissions, if any. 				


This issues for the information and compliance by all concerned.


Member Secretary
Dated

Endst. No. SEE(HQ-2)/2021/.....

A copy of the above is forwarded to the following for kind information please:

1. The Principal Secretary to Government of Punjab, Department of Science, Technology & Environment, Chandigarh.
2. The Chief Executive Officer, Punjab Bureau of Investment Promotion, Chandigarh
3. The Director, Directorate of Environment & Climate Change, Chandigarh.
4. The Director, Department of Industries and Commerce Chandigarh.


Member Secretary
Dated

Endst. No. SEE(HQ-2)/2021/.....

A copy of the above is forwarded to the following for information and necessary action:-

1. The Chief Environmental Engineer, Punjab Pollution Control Board, Patiala /Ludhiana/Jalandhar/Bathinda / HQ / PBIP.
2. The Special Secretary (G & P), Punjab Pollution Control Board, Mohali.
3. The Senior Environmental Engineer, Punjab Pollution Control Board, HQ-I/II/EPA, Zonal Office, Patiala-I/II, Ludhiana-I/II, Jalandhar, Amritsar and Bathinda.

PUNJAB POLLUTION CONTROL BOARD



4. The Scientific Officer (Water & Air Lab.), Punjab Pollution Control Board, Patiala.
5. The Administrative officer / Senior Law Officer/Deputy Control (F & A), Punjab Pollution Control Board, Patiala.
6. PS to Chairman/ PA to Member Secretary, Punjab Pollution Control Board, Patiala.

Endst. No. SEE(HQ-2)/2021/.....

SI
Member Secretary
Dated

A copy of the above is forwarded to the Deputy Director (PR), Punjab Pollution Control Board, Head Office, Patiala with a request to give wide publicity to this order of the Board through newspapers/media/various associations for information of all concerned.

Endst. No. SEE(HQ-2)/2021 18589

SI
Member Secretary
Dated : 17/8/2021

A copy of the above is forwarded to the Environmental Engineer (Computer), Punjab Pollution Control Board, Patiala for uploading the office order on website of the Board.

Endst. No. SEE(HQ-2)/2021 _____

Kgall
17/8/2021
Member Secretary
Dated : _____

A copy of the above is forwarded to the following for circulation amongst the member units of the respective associations:

1. The President, The Federation of All India Rice Millers Associations, 116, Ghuman Nagar, Near Punjab National Bank, Sirhind Road, Patiala.
2. All Industrial Associations of the State. (As per list)

SI
Member Secretary