



ਪੰਜਾਬ ਪ੍ਰਦੂਸ਼ਣ ਰੋਕਥਾਮ ਬੋਰਡ

ਖੇਤਰੀ ਦਫ਼ਤਰ, ਫਿਰੋਜ਼ਪੁਰ ਰੋਡ, ਨੇੜੇ ਦਾਣਾ ਮੰਡੀ, ਫਰੀਦਕੋਟ

Email: ppcbfdk@yahoo.com

ਨੰ: 2356-2379

(email only)

ਮਿਤੀ 10/05/2023

ਸੇਵਾ ਵਿਖੇ

1. ਸੀਨੀਅਰ ਕਪਤਾਨ ਪੁਲਿਸ, ਫਰੀਦਕੋਟ।
2. ਵਧੀਕ ਡਿਪਟੀ ਕਮਿਸ਼ਨਰ (ਜਨਰਲ), ਫਰੀਦਕੋਟ।
3. ਵਧੀਕ ਡਿਪਟੀ ਕਮਿਸ਼ਨਰ (ਵਿਕਾਸ), ਫਰੀਦਕੋਟ।
4. ਸਬ ਡਵੀਜਨਲ ਮੈਜਿਸਟਰੇਟ, ਫਰੀਦਕੋਟ / ਕੋਟਕਪੂਰਾ / ਜੈਤੋ।
5. ਮੁੱਖ ਪ੍ਰਸ਼ਾਸਕ, ਬੀ.ਡੀ.ਏ., ਬਠਿੰਡਾ।
6. ਪ੍ਰਿੰਸੀਪਲ, ਗੁਰੂ ਗੋਬਿੰਦ ਸਿੰਘ ਮੈਡੀਕਲ ਕਾਲਜ, ਫਰੀਦਕੋਟ।
7. ਸਿਵਲ ਸਰਜਨ, ਫਰੀਦਕੋਟ।
8. ਜਿਲ੍ਹਾ ਵਿਕਾਸ ਅਤੇ ਪੰਚਾਇਤ ਅਫਸਰ, ਫਰੀਦਕੋਟ।
9. ਜਿਲ੍ਹਾ ਕੰਟਰੋਲਰ ਖੁਰਾਕ ਸਿਵਲ ਸਪਲਾਈਜ਼ ਅਤੇ ਖਪਤਕਾਰ ਮਾਮਲੇ, ਫਰੀਦਕੋਟ।
10. ਸੈਕਟਰੀ, ਰਿਜਨਲ ਟਰਾਂਸਪੋਰਟ ਅਥਾਰਟੀ, ਫਰੀਦਕੋਟ।
11. ਮੁੱਖ ਖੇਤੀਬਾੜੀ ਅਫਸਰ, ਫਰੀਦਕੋਟ।
12. ਕਾਰਜ ਸਾਧਕ ਅਫਸਰ, ਨਗਰ ਕੌਂਸਲ, ਫਰੀਦਕੋਟ / ਕੋਟਕਪੂਰਾ / ਜੈਤੋ।
13. ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ, ਪੰਚਾਇਤੀ ਰਾਜ, ਫਰੀਦਕੋਟ।
14. ਕਾਰਜ ਸਾਧਕ ਅਫਸਰ, ਇੰਵਪਰੂਵਮੈਂਟ ਟੱਰਸਟ, ਫਰੀਦਕੋਟ।
15. ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ, ਪੰਜਾਬ ਵਾਟਰ ਸਪਲਾਈ ਤੇ ਸੀਵਰੇਜ ਬੋਰਡ, ਮੋਗਾ।
16. ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ, ਜਲ ਸਰੋਤ ਵਿਭਾਗ (ਕੈਨਾਲ), ਫਰੀਦਕੋਟ।
17. ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ, ਜਲ ਸਰੋਤ ਵਿਭਾਗ (ਡਕੇਨੇਜ਼), ਫਰੀਦਕੋਟ।
18. ਕਾਰਜ ਸਾਧਕ ਅਫਸਰ, ਪੰਜਾਬ ਮੰਡੀ ਬੋਰਡ, ਫਰੀਦਕੋਟ।
19. ਮੰਡਲ ਭੂਮੀ ਰੱਖਿਆ ਅਫਸਰ, ਫਰੀਦਕੋਟ।
20. ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ, ਪੀ.ਡਬਲਯੂ.ਡੀ. (ਬੀ. ਐਂਡ ਆਰ.), ਫਰੀਦਕੋਟ।

ਵਿਸ਼ਾ : ਜਿਲ੍ਹਾ ਵਾਤਾਵਰਣ ਪਲਾਨ ਦੀ ਮੀਟਿੰਗ ਮਿਤੀ 16.03.2023 ਦੀ ਕਾਰਵਾਈ ਰਿਪੋਰਟ ।

ਉਪਰੋਕਤ ਵਿਸ਼ੇ ਦੇ ਸਬੰਧ ਵਿੱਚ ਜਿਲ੍ਹਾ ਵਾਤਾਵਰਣ ਪਲਾਨ ਦੀ ਮੀਟਿੰਗ ਮਿਤੀ 16.03.2023 ਜੋ ਕਿ ਮਾਨਯੋਗ ਕਮਿਸ਼ਨਰ, ਮੰਡਲ ਫਰੀਦਕੋਟ ਜੀ ਦੀ ਪ੍ਰਧਾਨਗੀ ਹੇਠ ਹੋਈ ਸੀ ਦੀ ਕਾਰਵਾਈ ਰਿਪੋਰਟ ਸਮਰੱਥ ਅਥਾਰਟੀ ਦੀ ਪ੍ਰਧਾਨਗੀ ਉਪਰੰਤ ਆਪ ਜੀ ਨੂੰ ਸੂਚਨਾ ਅਤੇ ਮੀਟਿੰਗ ਵਿੱਚ ਲਏ ਫੈਸਲਿਆਂ ਦੀ ਪਾਲਣਾ ਹਿੱਤ ਭੇਜੀ ਜਾਂਦੀ ਹੈ।

ਵਾਤਾਵਰਣ ਇੰਜੀਨੀਅਰ

ਪਿ. ਅੰ. ਨੰ. 2380

ਮਿਤੀ : 10/05/2023

ਉਪਰੋਕਤ ਦਾ ਉਤਾਰਾ ਡਾਇਰੈਕਟੋਰੇਟ-ਵਾਤਾਵਰਣ ਅਤੇ ਜਲਵਾਯੂ ਪਰਿਵਰਤਨ, ਪੰਜਾਬ, ਮਗਸੀਪਾ ਕੰਪਲੈਕਸ, ਸੈਕਟਰ-26, ਚੰਗੀਗੜ੍ਹ ਜੀ ਨੂੰ ਸੂਚਨਾ ਹਿੱਤ ਭੇਜਿਆ ਜਾਂਦਾ ਹੈ ਡਿਪਟੀ ਕਮਿਸ਼ਨਰ, ਫਰੀਦਕੋਟ ਜੀ ਨੂੰ ਜਾਣਕਾਰੀ ਹਿੱਤ ਭੇਜਿਆ ਜਾਂਦਾ ਹੈ ਜੀ।

ਵਾਤਾਵਰਣ ਇੰਜੀਨੀਅਰ

ਪਿ. ਅੰ. ਨੰ. 2381

ਮਿਤੀ : 10/05/2023


ਉਪਰੋਕਤ ਦਾ ਉਤਾਰਾ ਕਮਿਸ਼ਨਰ, ਮੰਡਲ ਫਰੀਦਕੋਟ ਜੀ ਨੂੰ ਜਾਣਕਾਰੀ ਹਿੱਤ ਭੇਜਿਆ ਜਾਂਦਾ ਹੈ ਜੀ।

ਵਾਤਾਵਰਣ ਇੰਜੀਨੀਅਰ

ਪਿੰ. ਅੰ. ਨੰ. 2382

ਮਿਤੀ : 10/05/2023

ਉਪਰੋਕਤ ਦਾ ਉਤਾਰਾ ਡਿਪਟੀ ਕਮਿਸ਼ਨਰ, ਫਰੀਦਕੋਟ ਜੀ ਨੂੰ ਜਾਣਕਾਰੀ ਹਿੱਤ ਭੇਜਿਆ ਜਾਂਦਾ ਹੈ ਜੀ।



ਵਾਤਾਵਰਣ ਇੰਜੀਨੀਅਰ

2382

ਪਿੰ. ਅੰ. ਨੰ. 2383

ਮਿਤੀ : 10/05/2023

ਉਪਰੋਕਤ ਦਾ ਉਤਾਰਾ ਇੰਚਾਰਜ, ਕੰਪਿਊਟਰ ਸੈਕਸ਼ਨ, ਪੰਜਾਬ ਪ੍ਰਦੂਸ਼ਣ ਰੋਕਥਾਮ ਬੋਰਡ, ਮੁੱਖ ਦਫ਼ਤਰ, ਪਟਿਆਲਾ ਨੂੰ ਬੋਰਡ ਦੀ ਵੈੱਬਸਾਈਟ ਤੇ ਅਪਲੋਡ ਕਰਨ ਲਈ ਭੇਜਿਆ ਜਾਂਦਾ ਹੈ ਜੀ।



ਵਾਤਾਵਰਣ ਇੰਜੀਨੀਅਰ

2383

Subject: Minutes of the meeting held under the chairmanship of Hon'ble Commissioner, Division Faridkot on 16.03.2023 (11:30 am) with all the stakeholders department of District Level Committee, Faridkot to review the various activities of District Environment Plan, Faridkot.

Sr. No.	Thematic area	Action Point / Activity	Timelines for completion as mentioned in Department of Environment	Submission made by Departments during the meeting	Decisions taken by Chairperson
1	Solid Waste Management	Source segregation of solid waste	<p>MCs 31.10.2022</p> <p>DDPO Action plan - 30.09.2022 30.10.2022 - 45 villages</p>	<p>MC Faridkot submitted that 25 wards falls under the jurisdiction of council and source segregation is being done at 90 % of the households.</p> <p>MC Kotkapura submitted that 29 wards falls under the jurisdiction of council and source segregation is being done at 90 % of the households.</p> <p>MC Jaitu submitted that 17 wards falls under the jurisdiction of council and source segregation is being done at 90 % of the households.</p> <p>The representative submitted that action plan has been prepared and funds have been demanded under Swachh Bharat Mission to complete work for villages covered in phase-I.</p>	<p>The chairperson directed MCs to immediately start source segregation in wards where it has not initiated yet and SDMs to take weekly meeting to review the progress.</p> <p>The chairperson directed the Deptt. of Rural Development and Panchayat to complete the work within the timeline mentioned in the action plan submitted by the department..</p>
		Sweeping	<p>MCs 30.09.2022 : Manual sweeping once</p>	<p>MC Faridkot has submitted that mechanical sweeping is being done once in night. MC Kotkapura and MC Jaitu have submitted that the manual sweeping will be done once in</p>	<p>The chairperson directed MC Kotkapura and Jaitu to immediately start mechanical sweeping at night.</p>

			in night	night. The representative informed that as per action plan, a list of 60 villages have been prepared for the cause and one person per village will be allocated to carry out sweeping.	The chairperson directed the Deptt. of Rural Development and Panchayat to complete the work within the timeline mentioned in the action plan submitted by the department.
			DDPO Action plan - 30.09.2022 31.10.2022 = 60 villages		
		100 % door to door collection of waste	MCs 31.10.2022	Progress w.r.t. door to door collection of solid waste as submitted by respective MCs is as under: MC Faridkot : 100% MC Jaitu : 90 % MC Kotkapura : 90 %	The chairperson directed MC Jaitu and Kotakpura to ensure 100% collection of door to door waste on daily basis in their respective wards.
			DDPO Action plan - 30.09.2022 31.10.2022 = 150 vehicles	The representative informed that as per action plan, 75 villages have been identified for door to door collection of solid waste through vehicles. Further, these vehicles will be purchased from the grant received under Swachh Bharat Mission.	The chairperson directed to complete the work within the timeline mentioned in the action plan submitted by the department.
		Waste transfer points	MCs 30.09.2022	MCs Jaito informed that process of procurement of additional 3 no. hoppers is under tendering stage. MC Kotkapura informed that 16 no. hoppers are required and the process of procurement is	The chairperson directed to complete the activity at the earliest.

				under tendering stage. MC Faridkot informed that adequate waste transfer points are available.	
			DDPO Action plan - 30.09.2022 31.10.2022 = 50 villages	The representative informed that as per action plan, list of 50 villages have been prepared for door to door lifting of solid waste .	The chairperson directed to complete the work within the timeline mentioned in the action plan submitted by the department.
		Bulk Waste Trucks	MC Kotkapura & MC Jaitu 31.10.2022	MC Jaitu is yet to acquire 02 no. additional bulk waste trucks. MC Kotkapura is yet to acquire 02 no. bulk waste trucks. MC Faridkot informed that they have 02 number bulk waste trucks are adequate to handle solid waste.	The chairperson directed to complete the activity immediately.
		Wet Waste Disposal – Onsite composting	DDPO 31.03.2023	The representative informed that work has been completed in 4 number villages. Further, informed that year wise Action Plan has been prepared. The compost pits will be constructed under Swachh Bharat Mission and conversion of 15 th Finance Commission.	The chairperson directed to complete the work within the timeline mentioned in the action plan submitted by the department.
		Dry waste management – Material Recovery Facility for dry waste fraction	DDPO 31.08.2023 = 40 villages	The representative informed that tricycles with compartments, will be purchased under Swachh Bharat Mission for collection of dry waste & wet waste. Dry waste collected will be sold to authorized recycler.	The chairperson directed to complete the work within the timeline mentioned in the action plan submitted by the department.
		Disposal of inert and non recyclable wastes : Sanitary Landfill	MCs 31.07.2022 : Identification 31.12.2022 : Development	MC Faridkot has submitted that legacy waste site will ultimately be used as sanitary landfill and they have started the process to clear the site and same will be cleared within 06 months. MC Jaitu informed that site has been identified and work is under process.	The chairperson directed MCs to complete the remediation process at the earliest.

				MC Kotkapura informed that site has been identified and work is under process.	
		Remediation of legacy waste	<p>MCs Assessment of legacy waste by 31.07.2022</p> <p>100 % remediation of legacy waste by 31.03.2023</p>	<p>MC Faridkot has submitted that 15 % remediation work has been done; tender is being called to speed up the process. The work will be completed by 30.06.2023.</p> <p>MC Kotkapura has submitted that remediation work has been started and will be completed by 31.05.2023.</p> <p>MC Jaitu has submitted that 10 % of remediation work has been completed and remaining is under process. Work will be completed by 30.06.2023.</p>	<p>The chairperson decided that the ULBs to complete work regarding remediation of legacy waste as per the submissions, in case of failure, action will be initiated against the MCs.</p>
			<p>DDPO Action Plan : 30.09.2022</p> <p>31.10.2023 : 50 villages</p>	<p>The representative informed that identification of sites is being done and the remediation work will start thereafter.</p>	<p>The chairperson directed to identify the sites and start remediation work at the earliest.</p>
		EPR of producer: linkage with producer / brand owners	MCs 30.09.2022	Progress w.r.t. activity is yet to be monitored by all MCs.	The chairperson decided MCs to coordinate with the brand owners like Pepsico, Baba Milk etc. regarding the EPR.
		Preparation of own	DDPO	PPCB informed that by-laws have to be	The chairperson directed the Deptt. of

		by-laws to comply with SWM Rules, 2016	31.10.2022	prepared by concerned department in accordance with Solid Waste Management Rules, 2016.	Rural Development & Panchayat to prepare by-laws in consultation with higher authorities of the department.
		Removal of Garbage Vulnerable Points (GVPs)	<p>MCs</p> <p>15.07.2022 : Identification</p> <p>Removal of GVPs : 31.07.2022</p> <p>Conversion into green belt / park : 30.09.2022</p>	MC Faridkot, Kotkapura and Jaitu have submitted that council has removed garbage vulnerable point which was earlier identified.	The chairperson noted the compliance.
		Provision of greenbelt and boundary wall around solid waste dump site	<p>MCs</p> <p>31.08.2022 : Boundary wall & green belt/plantation around legacy waste dumpsite.</p>	MCs submitted that each council is engaged in providing of green belt and boundary wall around the solid waste dump site.	The chairperson directed to complete the activity by 30.06.2023.
		Treatment of leachate generated from legacy waste dumpsite	<p>MCs</p> <p>31.12.2022 : Effluent treatment plant</p>	<p>MC Faridkot has submitted that no effluent treatment plant is installed however council has provided drain leading to the STP for disposal of leachate generated from the legacy waste.</p> <p>MC Kotkapura and Jaitu has submitted that no effluent treatment plant is installed for treatment of leachate.</p>	The chairperson directed MC to ensure treatment of leachate generated from legacy waste dumpsite.

				It was informed that a meeting has been scheduled among concerned stakeholders on 23.01.2023	
		Installation of CCTV cameras and pizometers at dumping sites	MCs 30.09.2022	MC Faridkot, Kotkapura & Jaitu have provided CCTV cameras & piezometer at solid waste dumping sites.	The chairperson noted the compliance made by the MCs.
		Utilization of carcass by adopting rendering process	MCs / DDPO 30.09.2022 : Boundary wall, green belt, plantation, hedges etc. 31.08.2022 : Proposal regarding carcass utilization plant 30.06.2023 : Installation of modern carcass utilization	MC Faridkot, Kotkapura & Jaitu have submitted that respective MCs have not any carcass facility for burial of dead animal. For the completion of activity, private contractor hired for disposal of carcass. It was informed that a meeting has been scheduled among concerned stakeholders on 23.01.2023. The representative informed that there are 133 number carcass dumpsites in the District. The process of procuring funds to provide boundary wall and tress along carcass dumpsite is under preparation.	The chairperson directed MCs to ensure utilization of carcass by adopting rendering process. The chairperson directed the Deptt. of Rural Development & Panchayat to complete the activity at the earliest.

		Management of wastewater and solid waste unauthorized colonies / residential complexes	MCs/ improvement trust 31.03.2022 : Identification 31.03.2022 : Management of solid waste 31.03.2023 : Provision of STPs 30.09.2022 : Suitable user charges collection from unauthorized colonies	MC Faridkot, Kotkapura and Jaitu informed that data regarding unauthorized colonies has been prepared. MC Faridkot informed that out of 18 colonies, 17 are unauthorized. Solid waste is being collected from all 18 no. colonies. MC Jaitu informed that out of 46 colonies, 43 are unauthorized. Solid waste is being collected from all 46 no. colonies	The Chairperson noted the compliance and directed the MCs to collect suitable user charges for collection of solid waste and ensure the provisions of STPs in these colonies.
		Preparation of proposal / scheme for management of solid waste in the village either in cluster farm or independently in	DDPO 31.10.2022	The representative informed that work in 20 number villages has been started as per action plan prepared by the department.	The chairperson directed to complete the work within the timeline mentioned in the action plan submitted by the department.

		individual villages			
		Management of carcass in rural area	DDPO 30.09.2022 : Boundary wall, green belt, plantation, hedges etc. 31.08.2022 : Proposal regarding carcass utilization plant 30.06.2023 : Installation of modern carcass	The representative informed that there are 133 number carcass dumpsites in the District. Boundary wall has been provided at number carcass dumpsites. Plantation has been developed in 35 number carcass dumpsites. The process of procuring funds to provide boundary wall and tress along carcass dumpsite is under preparation.	The chairperson directed to Deptt. of Rural Development & Panchayat to complete the construction of boundary wall and development of plantation area at 50 % of the carcass dumpsites by 31.12.2023.
		Dry waste management: material recovery facilities for dry waste collection	MCs 30.09.2022	MC Faridkot, Jaitu and Kotkapura have submitted that no RDF exists in area under their jurisdiction and waste is being stored at MRF.	The chairperson has noted the statement.
2	Plastic Waste Management	Door to door collection	DDPO Action plan – 30.09.2022 31.08.2023 : 50 villages	The Deptt. of Rural Development & Panchayat informed that tricycles with compartments will be purchased under Swachh Bharat Mission for collection of dry waste & wet waste. Dry waste collected will be sold to authorized recycler.	The chairperson directed the Deptt. of Rural Development & Panchayat to complete the work within the timeline mentioned in the action plan submitted by the department.
		Material recovery Facility	DDPO Action plan –	The representative from Deptt. of Rural Development & Panchayat informed that a list of 50 villages have been prepared where	The chairperson directed the Deptt. of Rural Development & Panchayat to complete the work within the timeline

			30.09.2022 31.08.2023 : 50 MRF	collection of solid waste is being done. Dry waste collected will be sold to authorized recycler.	mentioned in the action plan submitted by the department.
		Access to plastic waste disposal facility	MCs 30.09.2022 : Arrangements for disposal of plastic waste collected at MRF 31.12.2022 : Disposal of waste plastic	MCs informed that recycled plastic, is collected, transported and stored separately at MRF. Agreement for disposal of plastic waste yet to be done by the MCs. MCs informed that they have made an agreement with M/s Max Industry for the same.	The chairperson noted the compliance.
		Plastic industries registration	PPCB & CPCB 30.09.2022	PPCB has submitted that out of 10 industries, 02 industries are required to obtain registration from CPCB and concerned industries had already been guided to apply the registration in CPCB. It was further informed that action for non-obtaining the registration will be initiated against the industries.	The chairperson noted the compliance and directed to appraise progress in next meeting.
		Development and setting up of infrastructure for segregation, collection, storage, transportation, processing and disposal of plastic waste either on its	DDPO 30.09.2022 : Arrangements for disposal of plastic waste collected at MRF 31.12.2022 :	The representative from Deptt. of Rural Development & Panchayat informed that action plan has been prepared by concerned departments in this regard	The chairperson directed the Deptt. of Rural Development and Panchayat to complete the work within the timeline mentioned in the action plan submitted by the department.

		own by engaging agencies or producers	Disposal of waste plastic		
		Set up, operationalization and coordinate for plastic waste management in rural area.	DDPO Action plan – 31.10.2023 30.04.2022 : 50 villages 31.10.2022 : 50 villages	The representative from Deptt. of Rural Development & Panchayat informed that at this stage, an estimate of Rs. 13.65 Lakhs has been prepared for Gram Panchayat, Pakhi only.	The chairperson directed the Deptt. of Rural Development and Panchayat to complete the work within the timeline mentioned in the action plan submitted by the department.
		Segregation, collection, storage, transportation of plastic waste and channelizing of recyclable plastic waste	DDPO Action plan : 31.03.2023 31.08.2023 : 50 villages	The representative from Deptt. of Rural Development & Panchayat assured that an agreement will be done at Block Level after coordinating with plastic waste recycler.	The chairperson directed the Deptt. of Rural Development and Panchayat to complete the work within the timeline mentioned in the action plan submitted by the department.
		Directions to Gram Panchayat to perform functions such as ensuring segregation, collection, storage, transportation, plastic waste and channelization of recycle plastic waste fraction to recyclers having valid registration.	DDPO Action plan – 30.09.2022 31.08.2023 : 50 villages	The representative from Deptt. of Rural Development & Panchayat informed that necessary directions have been issued to the Gram Panchayats.	The chairperson noted the compliance.
		To ensure proper	MCs, ADC and	The Public Works Department has submitted	The chairperson directed Public Works

		plastic waste management, industries may be directed to explore the possibilities of use of such wastes in construction of roads. Further industries may also be directed to collaborate with different research institutes to explore such alternatives. (Directions of Hon'ble NGT in EA no. 13/2019 dated 08.01.2021)	PWD 31.12.2022	that no instructions issued by the department for use of plastic waste in construction of roads. The Punjab Mandi Board has submitted that 10% length of the road is being constructed with plastic waste from last 05 years by the department	Department shall take initiative for using of plastic waste in construction of roads with the guidance of Punjab Mandi Board. Further, Punjab Mandi Board was directed to continue the said activity in upcoming projects. The Punjab Mandi Board shall explore the possibility to collect plastic waste from MC To build the roads.
3.	C&D Waste Management	Arrangement for separate collection of C&D waste	MCs 31.08.2022 : Identification of Deposition point 31.12.2022 : Development / setup of machinery at C&D site 31.01.2023 : Utilization C&D waste started	MC Faridkot has submitted that the council has not identified the land for collection of C&D waste. However, council is in the process of purchasing grinder. MC Jaitu has submitted that council has identified near MRF. Further, council has not made any progress regarding setup of machinery for utilization of C&D waste. MC Kotkapura has submitted that the council has not identified the land for collection of C&D waste. Further, council has not made any progress regarding setup of machinery for utilization of C&D waste.	The chairperson directed MC Faridkot to identify land immediately for deposition of C&D waste. The chairperson directed MC Jaitu to setup machinery for utilization of C&D waste at the earliest. The chairperson directed MC Kotkapura to identify land immediately for deposition of C&D waste.

4.	Bio Medical Waste Management	Adequacy of funds by HCFs	Civil Surgeon 31.10.2022	<p>The Civil Surgeon informed that the work regarding installation of wastewater treatment facility in the Govt. HCFs is being done at the level of Punjab Health System Corporation.</p> <p>The Civil Surgeon further informed that wastewater treatment facility have already been installed at DH Faridkot and Civil Hospital, Kotkapura. Installation of ETP in CHC Sadiq & CHC Jaitu is under process. Further, work for installation of wastewater treatment facility at Bajakhana is yet to be started. As per timelines submitted by PHSC, the work will be completed by 30.06.2023.</p>	The chairperson noted the statement and directed to complete the installation work at CHC Sadiq & Jaitu and directed to coordinate with PHSC for installation of treatment facility at CHC Bajakhana at the earliest.
		Wastewater treatment by HCFs	<p>PPCB</p> <p>31.12.2022: Explore the possibility of getting join the small HCFs for treatment of their waste water in the effluent treatment plant installed by the nearby sustainable hospital.</p>	PPCB informed that Board vide letter dated no. 100 dated 10.03.2023 has extended time period for installation of ETP-cum-STP till 30.09.2023 for healthcare facilities which are not connected with terminal STP or non-functional terminal STP.	The chairperson noted the same.

5.	Domestic Hazardous Waste	Establishment of collection centre	30.09.2022	MC Faridkot, MC Kotkapura and Jaitu have submitted that councils have provided separate compartment in door to door waste collection vehicles for collection of domestic hazardous waste from the households. MCs Faridkot, Kotkapura and Jaitu have not established collection centre for domestic hazardous waste.	The chairperson directed MC Kotkapura shall provide adequate arrangement for collection of domestic hazardous waste. Further, chairperson directed councils to establish domestic hazardous waste collection centers immediately.
6.	E-waste Management	Inventory / generation of e-waste / bulk waste generator	PPCB 30.09.2022	Inventory has been prepared by the department.	The chairperson directed the MCs to carry out announcements (ਪ੍ਰਨਿਯਾਦੀ) and provide dustbins for the collection of e-waste at all MCs.
		E-waste collection points	MCs/ DDPO 30.09.2022	MCs are yet to provide e-waste collection points.	The chairperson directed MCs shall provide e-waste collection centers at public place and shall maintain the record regarding collection, storage and lifting of e-waste.
		Integration of informal sector	District Administration / PPCB 30.09.2022	PPCB informed that the same is being done.	The chairperson directed to complete the activity.
		Separate waste deposition centers for domestic e-waste which helps in easy segregation of e-waste. (Directions of Hon'ble NGT in OA no. 512/2018 dated 15.01.2021)	MCs 31.12.2022	MCs are yet to provide separate waste deposition centers for domestic e-waste	The chairperson directed to complete the activity within prescribed time period as per District Environment Plan and directed concerned departments to made points at Schools, colleges and District Administration Complex. The Chairperson further directed MCs to establish a single window to collect the e-waste from school & colleges
7.	Air Quality Management	Kutchha / brick paved roads to be	MCs	MCs informed that no katcha road exists within the limits of Municipal Council.	The chairperson noted the compliance.

		made pacca road	30.09.2022		
		Phasing out commercial diesel vehicles more than 15 years old	RTA 31.12.2022	It was informed that phasing out of commercial diesel vehicles more than 15 years old is a state policy matter.	The chairperson directed the concerned office to bring progress made in this regard, in next review meeting.
		Steps to be taken for management of agriculture waste/residue	Deptt. of Agriculture Seasonal Activity	PPCB and Agriculture department informed that the matter is separately being attended with SDM Kotkapura to prepare a plan for management of paddy straw for upcoming kharif harvesting season 2023.	The chairperson noted the compliance.
8.	Water Quality Management	Inventory of water bodies	DDPO / Urban Development / Deptt. of Irrigation 31.08.2022	Deptt. of Water Resources has informed that inventory of water bodies is available to the said department. The representative from Deptt. of Rural Development & Panchayat has provided inventory of village ponds.	The chairperson directed department to share the inventory to Punjab Pollution Control Board. The chairperson noted the compliance.
		Rejuvenation of groundwater	Department of water Resources / DDPO/PUDA 30.09.2022	The representative from Deptt. of Rural Development & Panchayat has informed that funds for rejuvenation of groundwater has been sanctioned by higher authorities for 03 number villages.	The chairperson directed the Deptt. of Soil & Water Conservation to submit its report in consultation with the Department of Rural Development & Panchayat.
	B) Domestic sewage	Sewage treatment plants	MCs/ PWSSB 31.12.2022: STP Faridkot 30.09.2022: STP Kotkapura (6 MLD)	Status of construction of STPs informed by the Punjab Water Supply & Sewerage Board is as under:- STP Faridkot – 90 % civil work completed and shall be completed by 30.06.2023. 6 MLD STP Kotkapura has been constructed and stabilized.	The chairperson noted the compliance.
		Underground	MCs/ PWSSB	Status of providing underground sewerage	The chairperson noted the compliance and

		sewerage network	30.09.2022	<p>network by the Punjab Water Supply & Sewerage Board is as under:- Approx. 80 % of the underground sewerage network provided at MC Faridkot.</p> <p>Approx 90 % of the underground sewerage network provided at MC Kotkapura.</p> <p>100 % of the underground sewerage network provided at MC Jaitu.</p>	directed the department to immediately ensure laying of pending sewer network.
		Providing proper in-house laboratory facilities at each STP	<p>PWSSB</p> <p>31.12.2022: STP Faridkot</p> <p>31.08.2022: STP Kotkapura (6 MLD)</p>	PWSSB has informed that proper in-house laboratory facility has been provided at STP Kotkapura and STP Jaito.	The chairperson noted the compliance.
		Arrangement of Funds for treatment technology in various villages identified in the Action Plan	<p>DDPO</p> <p>31.12.2022: Pond based treatment system in 32 villages</p>	The Deptt. of Rural Development & Panchayat has informed that work regarding 06 village ponds have got completed and work regarding additional 6 number ponds is under progress. Apart from this, water supply department has been written to release grant for remaining 20 number villages.	The chairperson noted the compliance.
		Reuse of water for agriculture purpose in villages.	<p>DDPO/ Deptt. of Soil & Water conservation</p> <p>31.07.2023</p>	The Deptt. of Soil & Water Conservation informed that tender will be called by 31.03.2023 for utilization of treat wastewater of 8 MLD installed at Kotakpura with command area to cover the agriculture fields of about 225 ha. Further informed that raising main issue of MC Jaitu, the scheme is delayed.	The chairperson directed the Deptt. of Soil & Water Conservation to complete the tendering process in case of Kotkapura.
		To stop	Deptt. of Water	The Deptt. of Water Resources has informed	The chairperson directed the Deptt. of

		unauthorized discharge in the drains	Resources / DDPO 31.03.2022	the department has already identified a point, where wastewater is being discharged.	Water Resource to immediately take action w.r.t. unauthorized discharge in the drains.
		Setting up of additional water bodies/water harvesting structures	MCs / NPs 31.12.2022	It was informed that conditions are being imposed by MCs to install rainwater harvesting structure in commercial & residential buildings, while approving building plans.	The chairperson directed MCs to ensure compliance w.r.t. installation of rainwater harvesting structure in commercial & residential buildings. Further directed concerned SDMs to check the compliance submitted by MC.
		Guidelines for control of pollution and enforcement of Environmental Norms in marriage halls, banquet halls, party venues etc. along with consent management system. (Directions of Hon'ble NGT in OA no. 400/2017 dated 04.02.2021)	PPCB/Local Govt./District Administration / Fire Safety 31.12.2022	PPCB has informed that 26 no. of marriage palaces have been registered with the department and all the marriage palaces have been apprised regarding control of pollution and enforcement of environmental norms.	The chairperson noted the compliance made by the department.
		Installation of ETP in all big units (marriage halls, banquet halls, party venues etc) which are not connected with the sewer lines. (Directions of Hon'ble NGT in OA no. 400/2017 dated 04.02.2021)	PPCB 31.12.2022	PPCB informed that as per inventory most of the marriage palaces have been provided with oil & grease trap and have capacity less than 500 person.	The chairperson directed PPCB to take action against marriage palaces for non-installation of ETP against big marriage palaces.

		All the units having kitchen should have proper ducting arrangement. The units using DG sets must have the proper stack height. (Directions of Hon'ble NGT in OA no. 400/2017 dated 04.02.2021)	PPCB 31.12.2022	PPCB informed that most of the marriage palaces have been provided with proper ducting arrangement in kitchen and DG set with canopy and adequate stack height. However, regular inspections are being done to report irregularities if any.	The chairperson noted the compliance.
		Inventory of dairy farm and gaushalas	MCs 31.07.2022 : Identification 31.03.2023 : Implementation of treatment facility	MCs informed status as under:- Faridkot : 83 Dairy farms & 2 no. Gaushalas Jaitu : 11 Dairy farms & 2 no. Gaushalas Kotkapura: 23 Dairy farms & 3 no. Gaushalas	The chairperson noted the compliance.
		The local bodies/municipal corporations shall publish a public notice in newspapers and on their website for registration of dairy farms and gaushalas as per municipal law. (Directions of Hon'ble NGT in OA no. 400/2017 dated	MCs 31.12.2022	MCs informed that a public notice in newspapers with regard to registration of dairy farms and gaushalas is yet to be published.	The chairperson directed to complete the activity immediately.

		04.02.2021)			
		The District Collectors of all the districts are directed to constitute monitoring committees to monitor the extraction of ground water by the individuals for commercial purposes. (Directions of Hon'ble NGT in OA no. 176/2015 dated 20.07.2020)	District Administration 31.08.2022	It was informed that Department of Water Resources (Drainage) vide its order dated 05.05.2022 has formed a District Implementing Committee for water regulation and development.	The chairperson noted the compliance and directed the department of Water Resources (Drainage) to submit progress in this regard in next review meeting. The chairperson directed to issue orders in this regard.
		Water Management Plans need to be prepared for all OCS assessment units in the country based on the mapping data, starting with overexploited blocks. (Directions of Hon'ble NGT in OA no. 176/2015 dated 20.07.2020)	Water Resources (Ground water cum NHP wing) and PWRDA 30.09.2022	PWRDA informed that the Water Managements Plans are to be prepared by the Water Resources Department and no nodal officer is to be appointed by the authority. Any information required from the Authority will be provided through the Nodal Officer appointed by the water Resources Department.	The chairperson directed Deptt. of Water Resources (Drainage & canal) to take meeting in this regard within 15 days and submit the progress in next meeting.
		The Water Management Plans, data on water availability or scarcity and policy	PWRDA 30.09.2022	PWRDA informed that the Water Managements Plans are to be prepared by the Water Resources Department and no nodal officer is to be appointed by the authority. Any information required from the Authority	The chairperson directed the Deptt. of Water Resources to complete the activity and submit the compliance in the next meeting.

		of CGWA must be uploaded on its website for transparency and public involvement.		will be provided through the Nodal Officer appointed by the water Resources Department.	
		The District Magistrates have been directed to take up one pond per village for its rejuvenation, this year. (Directions of Hon'ble NGT in OA no. 325/2015 dated 18.11.2020)	DDPO 31.08.2022 31.12.2022 : Treatment system for 32 villages	The representative from Deptt. of Rural Development & Panchayat informed that action plan has been prepared for 243 Gram Panchayats by concerned departments. Further, informed that 58 number ponds have been identified and 32 villages have been covered in phase-I.	The chairperson directed the Deptt. of Rural Development and Panchayat to complete the work within the timeline mentioned in the action plan submitted by the department..
		Active efforts be made in close coordination with technical bodies to tap excess runoff of rivers/canals during rainfall season to recharge old water bodies and retain water in new ponds to be constructed specifically for the purpose (Directions of Hon'ble NGT in OA no. 325/2015 dated 18.11.2020)	Department of Water Resources (Drainage) 31.10.2022 : Identification 31.10.2026: Completion :	The Department of Water Resource (Drainage) informed that identification has been done regarding tap excess runoff of rivers/canals during rainfall season to recharge old water bodies and retain water in new ponds.	The chairperson noted the compliance and directed the department of Water Resource (Drainage) to complete the activity at the earliest.
		Comprehensive plan to install flow meters at various locations to carry	PWSSB/ ADC (G)/ Local Govt.	PWSSB informed estimate has been prepared for Kotkapura and Jaitu and submitted to the MCs. MC Faridkot informed that the activity is yet to	The chairperson directed that the department to immediately complete the activity at the earliest.

		out daily real time monitoring of the city's water supply network. (Directions of Hon'ble NGT in OA no. 496/2016 dated 22.01.2021)	31.03.2022 : Preparation of plan 30.09.2022 : Implementation	be started.	
		Framing policy for the management of highly contaminated Fecal sludge generated from the rural areas.	DDPO 30.04.2022 : Policy framing 30.04.2025 : Implementation	The representative from Deptt. of Rural Development & Panchayat informed that policy has been prepared by the department.	The chairperson noted the compliance and directed the Deptt. of Rural Development & Panchayat to implement the policy as per timeline.
		Reuse of treated effluent through existing STPs (OA no. 496/2016 dated 22.01.2021)	Deptt. of Water & Soil Conservation 30.09.2022: Scheme 31.12.2022: Completion	Deptt. of Water & Soil Conservation informed that funds are available to implement scheme for utilization of treated effluent from 8 MLD STP Kotkapura and awaiting plan to be submitted by Guru Nanak Dev Engg. College, Ludhiana. For STP 6 MLD capacity plan is under preparation. In case of MC Jaitu estimate is yet to be sanctioned by the authorities.	The chairperson directed that the department to complete the activity at the earliest.
		Installation, operation & maintenance of online continuous effluent monitoring system with flow meter as well as CCTV cameras for	PWSSB 30.09.2022	PWSSB informed that online continuous effluent monitoring system with flow meter as well as CCTV cameras has been installed at both the operational STPs of Jaitu and Kotkapura.	The Chairperson noted the compliance.

		the existing STPs as well as new STPs to be installed.			
		Activity w.r.t. in-situ remediation technology to be provided in the drains carrying untreated sewage.	MCs / NPs 30.09.2022	MC Faridkot has informed that in-situ arrangement has not yet been provided at Langeana drain for treatment of wastewater in the drain.	The chairperson directed MC to start the in-situ remediation work of Langeana drain immediately.
9.	Industrial Waste Water Management	Installation of EMF	PPCB 30.09.2022	PPCB informed that there are 19 industries which have installed captive ETP and has installed EMF at final outlet.	The Chairperson noted the compliance.
10.	Noise Pollution Management Plan	Availability of sound / noise level meters	Deptt. of Police, and PPCB 31.12.2022	PPCB informed that two noise level meters are available in its office and matter has been taken up with higher authorities of the Board for issuance of additional dB meter.	The Chairperson noted the compliance and directed the concerned police officials to hire the dB meter from PPCB as & when required.
		Sign board in noise zone	MCs 30.09.2022	MCs have submitted sign board in noise zones has already been provided.	The chairperson noted the compliance.

After viewing the progress made by departments for various activities, the Commissioner cum Chairperson has directed that:

1. The stakeholder departments shall ensure the compliance of various items be made as per timelines mentioned in the District Environment Plan.
2. The stakeholder departments not present during the meeting shall submit the progress report at ppcbfdk@yahoo.com, within one week.
3. The stakeholder departments shall submit progress report of decisions of meeting / completed timelines of District Environment Plan in the first week of every month at ppcbfdk@yahoo.com
4. Meeting ended with vote of thanks to the Chair.

**Deputy Commissioner,
Faridkot**